

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"6678635".pn. AND (index\$3 indices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 16:30
S2	854	(video NEAR4 index\$3) AND temporal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 16:54
L3	912	(video NEAR4 index\$3) AND temporal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 16:56
L8	16	7 AND (simulat\$4 emulat\$4 visualiz\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 16:59
L7	44	6 AND ((index\$3 indices) NEAR4 temporal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 16:59
L10	5	((temporal NEAR4 (event\$1 data information object\$1)) AND (temporal WITH predict\$4) AND (temporal WITH model\$1)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:07
L9	81	((temporal NEAR4 (event\$1 data information object\$1)) AND (temporal WITH predict\$4)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:07
L6	1005	5 AND ("707"/\$.ccls. 702/176-181.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:08
L11	24	9 AND ("707"/\$.ccls. 702/176-181.ccls. "382"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:10

EAST Search History

L14	65	13 AND (temporal NEAR8 predict\$8)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:11
L13	1271	12 AND 5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:11
L12	46057	("707"/\$.ccls. 702/176-181.ccls. "382"/100,103,107,154.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:11
L5	16325	(temporal NEAR4 (event\$1 data information object\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:11
L16	11	15 AND (temporal WITH model\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:12
L15	34	14 AND (index\$3 indices)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 17:12


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **query temporal event**

Found 22 of 189,785

Sort results by

Display results


[Save results to a Binder](#)

[Search Tips](#)


Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 22

 Result page: [1](#) [2](#) [next](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Data structures, computational geometry: A spatio-temporal access method based on snapshots and events](#)

Gilberto A. Gutiérrez, Gonzalo Navarro, Andrea Rodríguez, Alejandro González, José Orellana
November 2005 **Proceedings of the 13th annual ACM international workshop on Geographic information systems GIS '05**

Publisher: ACM Press

 Full text available: pdf (382.32 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes a new spatio-temporal access method (SEST-Index) that combines two approaches for modeling spatio-temporal information: snapshots and events. This method makes it possible to not only process *time slice* and *interval* queries, but also queries about events. The SEST Index implementation uses an R-tree structure for storing snapshots and a log data structure for storing events that occur between consecutive snapshots. Experimental results that compare SEST-Index a ...

Keywords: r-trees, spatio-temporal access methods, temporal events

2 [Data mining: Time-dependent semantic similarity measure of queries using historical click-through data](#)

Qiankun Zhao, Steven C. H. Hoi, Tie-Yan Liu, Sourav S. Bhowmick, Michael R. Lyu, Wei-Ying Ma

May 2006 **Proceedings of the 15th international conference on World Wide Web WWW '06**

Publisher: ACM Press

 Full text available: pdf (347.70 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

It has become a promising direction to measure similarity of Web search queries by mining the increasing amount of click-through data logged by Web search engines, which record the interactions between users and the search engines. Most existing approaches employ the click-through data for similarity measure of queries with little consideration of the temporal factor, while the click-through data is often dynamic and contains rich temporal information. In this paper we present a new framework of ...

Keywords: click-through data, event detection, evolution pattern, marginalized kernel, semantic similarity measure



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+abstract:query +abstract:temporal +abstract:event +abstract:



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **query temporal event predict**

Found 1 of 189,785

Sort results
by

relevance

Display
results

expanded form

[Save results to a Binder](#)

[Search Tips](#)

☐ Open results in a new
window

[Try an Advanced Search](#)

[Try this search in The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale

1 **Demo abstracts: D.A.S.: deployment analysis system**



Kevin K. Chang, Nithya Ramanathan, Deborah Estrin, Jens Palsberg

November 2005 **Proceedings of the 3rd international conference on Embedded
networked sensor systems SenSys '05**

Publisher: ACM Press

Full text available: pdf(86.12 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Understanding how a sensor network system works requires running the system, extracting log files, and manually interpreting system metrics. When interpreting system metrics, we often try to correlate behavior over multiple modalities. For example, if a node is exhibiting strange behaviors, the cause may be due to weak battery, geographically bad placement, collision, interference, sensor failure, algorithmic faults, or a combination of the above. This approach of interpreting metrics ...

Keywords: analysis, data mining, debugging, deployment, sensor network, visualization

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)


[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [query](#) [temporal](#) [event](#) [index](#)

Found 4 of 189,785

Sort results by

Display results

☒ [Save results to a Binder](#)
☒ [Search Tips](#)
☐ [Open results in a new window](#)

 Try an [Advanced Search](#)

 Try this search in [The ACM Guide](#)

Results 1 - 4 of 4

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Data structures, computational geometry: A spatio-temporal access method based on snapshots and events](#)

Gilberto A. Gutiérrez, Gonzalo Navarro, Andrea Rodríguez, Alejandro González, José Orellana
November 2005 **Proceedings of the 13th annual ACM international workshop on Geographic information systems GIS '05**

Publisher: ACM Press

 Full text available: [pdf \(382.32 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes a new spatio-temporal access method (SEST-Index) that combines two approaches for modeling spatio-temporal information: snapshots and events. This method makes it possible to not only process *time slice* and *interval* queries, but also queries about events. The SEST Index implementation uses an R-tree structure for storing snapshots and a log data structure for storing events that occur between consecutive snapshots. Experimental results that compare SEST-Index a ...

Keywords: r-trees, spatio-temporal access methods, temporal events

2 [Session 11: multimedia analysis and retrieval: Retrieving actions embedded in video](#)

Tanveer Syeda-Mahmood

December 2002 **Proceedings of the tenth ACM international conference on Multimedia**

Publisher: ACM Press

 Full text available: [pdf \(1.55 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

In a number of applications including surveillance, there is a need to reliably retrieve an action-depicting segment in a video. This is an enormously difficult problem due to the variability in an action's appearance when seen at different times. It requires reliable object and action segmentation, and robust methods for indexing the action content in a video. In this paper, we present a novel approach to action retrieval that extracts salient action events in query and database videos. These e ...

Keywords: actions, recognition, segmentation, video understanding

3 [Technical poster session 3: multimedia tools, end-systems, and applications:](#)

[Designing experiential environments for management of personal multimedia](#)

Rahul Singh, Rachel Knickmeyer, Punit Gupta, Ramesh Jain

October 2004 **Proceedings of the 12th annual ACM international conference on**


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **temporal event**

Found 21 of 189,785

Sort results by

relevance

☒ [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results

expanded form

☒ [Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 21

Result page: 1 2

 Relevance scale ☐ ☐ ☐ ☐ ☐

- 1 [Poster session: papers included: Teaming discrete-event simulation and geographic information systems to solve a temporal/spatial business problem](#)

Richard G. Born

 December 2005 **Proceedings of the 37th conference on Winter simulation WSC '05**

Publisher: Winter Simulation Conference

 Full text available: pdf(479.53 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Although discrete-event simulation has pedagogically been rooted in computer science, and the practicality of geographic information systems in geography, the combined use of both in the business world allows solving some very challenging temporal/spatial (time and space dependent) business problems. The discrete-event simulation language WebGPSS, an ideal simulation environment for the business person, is teamed with Microsoft MapPoint, a GIS (geographic information system) designed to bring po ...

- 2 [1st international workshop on advanced data processing in ubiquitous computing \(ADPUC 2006\): Spatio-temporal sensor data management for context-aware services: designing sensor-event driven service coordination middleware](#)

Akio Sashima, Yutaka Inoue, Koichi Kurumatani

 November 2006 **Proceedings of the 1st international workshop on Advanced data processing in ubiquitous computing (ADPUC 2006) ADPUC '06**

Publisher: ACM Press

 Full text available: pdf(353.84 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

How various kinds of sensor devices are handled, and how numerous lower-level sensor data are managed and integrated into higher-level context representations are important issues to realize context-aware services. We have been developing Sensor-Event-Driven Service Coordination Middleware (SENSORD) to fill coordination gaps between higher-level services and lower-level sensors. The SENSORD system obtains and stores sensor data into an in-memory data container to achieve fast, complex analysis o ...

- 3 [Time and space: Time period directories: a metadata infrastructure for placing events in temporal and geographic context](#)

Vivien Petras, Ray R. Larson, Michael Buckland

 June 2006 **Proceedings of the 6th ACM/IEEE-CS joint conference on Digital libraries JCDL '06**

Publisher: ACM Press

 Full text available: pdf(418.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((temporal <near/4> event) <and> (temporal <near/6> index))<in>metadata)"

☒ e-mailYour search matched **2** of **1430374** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((temporal <near/4> event) <and> (temporal <near/6> index))<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ **1. Analysis of motor unit synchronization using joint peri-stimulus time histogram simulation analysis**
 Ushiba, J.; Tomita, Y.; Masakado, Y.;
[SICE 2002. Proceedings of the 41st SICE Annual Conference](#)
 Volume 3, 5-7 Aug. 2002 Page(s):2008 - 2013 vol.3
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **2. Representing biological and physical systems as temporal event hierarchies**
 Gomez, F.;
[Tools for Artificial Intelligence, 1991, TAI '91, Third International Conference on](#)
 10-13 Nov. 1991 Page(s):172 - 180
 Digital Object Identifier 10.1109/TAI.1991.167092
[AbstractPlus](#) | Full Text: [PDF\(692 KB\)](#) IEEE CNF
[Rights and Permissions](#)

 indexed by
[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2008 IEEE --


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((temporal <near/4> event) <and> (temporal <near/8> model))<in>metadata)"

☒ e-mail

Your search matched 69 of 1430374 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

View: 1-

- ☐ 1. **A sound and complete fuzzy temporal constraint logic**
Cardenas-Viedma, M.A.;
[Systems, Man and Cybernetics, Part B, IEEE Transactions on](#)
Volume 36, Issue 1, Feb. 2006 Page(s):223 - 228
Digital Object Identifier 10.1109/TSMCB.2005.856146
[AbstractPlus](#) | Full Text: [PDF](#)(504 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Prediction for human motion tracking failures**
Dockstader, S.L.; Imennov, N.S.;
[Image Processing, IEEE Transactions on](#)
Volume 15, Issue 2, Feb. 2006 Page(s):411 - 421
Digital Object Identifier 10.1109/TIP.2005.860594
[AbstractPlus](#) | Full Text: [PDF](#)(1544 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Temporal Petri nets and their application to modeling and analysis of a h: chain arbiter**
Suzuki, I.; Lu, H.;
[Computers, IEEE Transactions on](#)
Volume 38, Issue 5, May 1989 Page(s):696 - 704
Digital Object Identifier 10.1109/12.24271
[AbstractPlus](#) | Full Text: [PDF](#)(764 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Learning classification rules from database in the context of knowledge representation**
Yasdi, R.;
[Knowledge and Data Engineering, IEEE Transactions on](#)
Volume 3, Issue 3, Sept. 1991 Page(s):293 - 306
Digital Object Identifier 10.1109/69.91060
[AbstractPlus](#) | Full Text: [PDF](#)(1004 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **A reachability synthesis procedure for discrete event systems in a tempo framework**
Lin, J.-Y.; Ionescu, D.;
[Systems, Man and Cybernetics, IEEE Transactions on](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((temporal <near/4> event) <and> (temporal <near/8> model) <and> (layer)))&l..."

☒ e-mail

Your search matched 2 of 1430374 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((temporal <near/4> event) <and> (temporal <near/8> model) <and> (layer))<in>met

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **On revising temporal models of discrete event systems**
 Rauf, I.; Zaidi, A.K.;
Systems, Man and Cybernetics, 2002 IEEE International Conference on
 Volume 4, 6-9 Oct. 2002 Page(s):6 pp. vol.4
[AbstractPlus](#) | Full Text: [PDF](#)(562 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **A model for temporal correlation of biological neuronal spike trains**
 Tam, D.C.; Perkel, D.H.;
Neural Networks, 1989, IJCNN, International Joint Conference on
 18-22 June 1989 Page(s):781 - 786 vol.1
 Digital Object Identifier 10.1109/IJCNN.1989.118667
[AbstractPlus](#) | Full Text: [PDF](#)(436 KB) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE ...



[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

query temporal event

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 1,260,000 for **query temporal event**. (0.37 seconds)**[PDF] An Approach to Model and Query Event-Based Temporal Data**

File Format: PDF/Adobe Acrobat

the attribute meta-**query** requiring all the attributes of. o. 2. whose **temporal** histories have been recorded because. of the occurrence of the **event** ...ieeexplore.ieee.org/iel4/5517/14819/00674141.pdf?amumber=674141 - [Similar pages](#)**[PDF] Spatio-Temporal Modeling of Video Data for On-Line Object-Oriented ...**

File Format: PDF/Adobe Acrobat

In summary, in defining a spatio-**temporal event**, we. only have to specify the components in a ... poral **events**. For user to **query** video data, we propose ...ieeexplore.ieee.org/iel2/3494/10325/00484913.pdf - [Similar pages](#)[[More results from ieeexplore.ieee.org](#)]**dbUCLA Seminars 2005**In this talk we present our work in progress to extend continuous **query** language to support composite **temporal events** detection in DSMS systems. ...www.cs.ucla.edu/db/seminar2005f.html - 9k - [Cached](#) - [Similar pages](#)**The Information Management Group**This talk discusses the current state-of-the-art in sensor network **query** processing and ...The exposition will be directed to linear **temporal** logic and its ...www.cs.manchester.ac.uk/img/ - 22k - [Cached](#) - [Similar pages](#)**[PDF] Intelligent Natural Language Query Interface for Temporal Databases**File Format: PDF/Adobe Acrobat - [View as HTML](#)done on **Query** Processing and makes a comparison with our model. Section 3. explains**Temporal Event Matching Language(TEML)** along with suitable exam- ...fccl.ksu.ru/issue6/pvt1.pdf - [Similar pages](#)**[PDF] Spatio-Temporal Modeling of Video Data for On-Line Object-Oriented ...**

File Format: PDF/Adobe Acrobat

isting **temporal events** using the same spatio-**temporal**. generalized operators. Formally,... ate a **query** such as 'Give the video clips where Michael ...doi.ieeecomputersociety.org/10.1109/MMCS.1995.484913 - [Similar pages](#)**[PDF] An Enhanced Query Model for Soccer Video Retrieval Using Temporal ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)suited for searching **events** in a large scale video database. 2. **Temporal Query Model**.

Based on our observation, most of the significant ...

www.cs.fiu.edu/~chens/PDF/ICDE05.pdf - [Similar pages](#)**An Approach to Model and Query Event-Based Temporal Data - Bertino ...****Temporal** database systems support all functions related to the management of largeamounts of constantly changing data. However, current **temporal** database ...citeseer.ist.psu.edu/bertino97approach.html - 19k - [Cached](#) - [Similar pages](#)**A Role for Time and Query Quality in Search Results » SEO by the SEA**In this implementation a **temporal** profile of the search **query** is built from ... of some of the **events** relevant to the **query**, and summaries of those **events**. ...www.seobythesea.com/?p=348 - 48k - [Cached](#) - [Similar pages](#)

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

query temporal event multilayer model

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 49,500 for **query temporal event multilayer model**. (0.29 seconds)**DBLP: Wei Zhang**

... Pattern **Query** Processing based on Effective Trajectory Splitting Models in ... 8 · EE,
 Wei Zhang: Some Improvements on **Event-Sequence Temporal** Region ...
www.informatik.uni-trier.de/~ley/db/indices/a-tree/z/Zhang:Wei.html - 100k - Nov 9, 2006 -
[Cached](#) - [Similar pages](#)

[PDF] The State of the Art in Image and Video Retrieval

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 and Lim [25] propose the use of **temporal events** for organizing and representing ... based
 motion tracking and **multi-layer** finite state automata. ...
staff.science.uva.nl/~nicu/publications/CIVR03_edit.pdf - [Similar pages](#)

[PDF] Multi layer video object database based on interactive annotation ...

File Format: PDF/Adobe Acrobat
temporal continuous structure in video frames. An efficient ... Figure 2: Proposed video
 object description **model**. 2.2. **Query**. and. Retrieval function ...
ieeexplore.ieee.org/iel5/6974/18880/00871507.pdf?arnumber=871507 - [Similar pages](#)

[PDF] Yemanja - a layered event correlation engine for multi-domain ...

File Format: PDF/Adobe Acrobat
 Yemanja is a **model**-based **event** correlation engine for **multi-layer** fault diagnosis. It ... A
 cache of **query** results is provided to reduce the overhead ...
ieeexplore.ieee.org/iel5/7332/19847/00918051.pdf - [Similar pages](#)

[PS] Data Models and Query Languages of Spatio-Temporal Information

File Format: Adobe PostScript - [View as Text](#)
 and do not generalize into a universal **temporal** data **model** and **query** language ... or
temporal events and are not directly applicable to valid-time databases ...
wis.cs.ucla.edu/~cchen/thesis.ps - [Similar pages](#)

[PDF] Report on the 2nd Web Dynamics Workshop, at WWW'2002 1 Introduction

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 The third paper on "A **multi-layer model** for the web graph" was given ... They argue that a
query interface to deep web information that is based ...
www.dcs.bbk.ac.uk/~ap/pubs/webDyn2Report.pdf - [Similar pages](#)

Method and system for detecting semantic events - US Patent 6678635

Video **query** system and method Issued on: January 30, 2001 ... revising said multiple-layer
models for said semantic **temporal event** based on said ...
www.patentstorm.us/patents/6678635-claims.html - 25k - [Cached](#) - [Similar pages](#)

ICSC

HMM **models** provide a compact discrete-**event** representation for temporally ... Such
 objectives appear in the **multi-layer** networks for classification and in ...
www.icsc-naiso.org/conferences/cima2001/indexsp.html - 1k - [Cached](#) - [Similar pages](#)

[PDF] Yemanja - A Layered Event Correlation Engine for Multi-domain ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 Yemanja is a **model**-based **event** correlation engine for **multi-layer** fault ... as **events** on
 different layers may have substantially different **temporal** relation ...